

[D51B-2U]



QCT
Product Safety, EMC
and Environmental
Data Sheet

CONTENTS

1. Product Type Information	2
2. Statement of Compliance	3
3. ErP Lot 3 Product (Energy Consumption) Information	4
3.1. Internal Power Supply Efficiency	5
3.2. Maximun/Idle State Power	6
3.3. Noise Emission	6
4. About QCT	7



1. Product Type Information

Marketing Name.....D51B-2U

Regulatory Model.....D51B-2U

Regulatory Type.....Computer Server

Effective Date.....May 07, 2015

EMC Emission Class.....A

2. Statement of Compliance

This product has been determined to be compliant with the applicable standards, regulations, and directives for the countries where the product is marketed. The product is affixed with regulatory marking and text as necessary for the country/agency.

For Product Safety and EMC compliance, this product has been assigned a unique regulatory model and regulatory type that is imprinted on the product labeling to provide traceability to the regulatory approvals noted on this datasheet. This datasheet applies to any product that utilizes the assigned regulatory model and type including marketing names other than those listed on this datasheet. ErP compliance is tied to the CE mark.

Compliance documentation, such as certification or Declaration of Compliance for the product is available upon request to our regional sales. Please include product identifiers such as marketing name, regulatory module, regulatory type and country that compliance information is needed in request.



3. ErP Lot 3 Product (Energy Consumption) Information

3.1. Internal Power Supply Efficiency

The ErP Lot 3 Standard includes requirements for certain product specific information to be provided by the manufacturer. This is applicable to Desktops, Integrated Desktops, Notebooks, Tablets, Slates, Notebook Thin Clients, Desktop Thin Clients, Workstations, Mobile Workstations, Computer Servers, and Small Scale Servers.

ErP Lot 3 provides certain exclusions based upon product type, screen size, and/or the amount of power consumed in idle mode. Product energy and acoustic information might be reported for products that are out of scope of ErP Lot 3 for informational purposes only.

***Energy Consumption** results are based solely upon the laboratory testing of the **System Configuration** listed above. Energy consumption is tested at 230 Volts / 50 Hz.

Energy Consumption*

Energy efficiency benefits the environment and lowers the total cost of equipment ownership by reducing power consumption. QCT offers energy calculators that help estimate power needs, potential emissions avoidance and potential cost savings.

- This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied.



Internal Power Supplies

Computer servers all single output (AC-DC) power supplies with rated output of Gold 470W

Power Supply Model #	10% Load		20% Load		50% Load		100% Load	
	Efficiency	Efficiency	Power Factor	Efficiency	Power Factor	Efficiency	Power Factor	
PS-2471-1Q3-LF	80.02%	88.23%	0.89	92.26%	0.96	92.18%	0.98	

Computer servers all single output (AC-DC) power supplies with rated output of Gold 750W

Power Supply Model #	10% Load		20% Load		50% Load		100% Load	
	Efficiency	Efficiency	Power Factor	Efficiency	Power Factor	Efficiency	Power Factor	
PS-2751-5Q4-LF	84.21%	89.13%	0.91	92.51%	0.97	91.46%	0.99	

Computer servers all single output (AC-DC) power supplies with rated output of Platinum 500W

Power Supply Model #	10% Load		20% Load		50% Load		100% Load	
	Efficiency	Efficiency	Power Factor	Efficiency	Power Factor	Efficiency	Power Factor	
DPS-500AB-14A	86.67%	92.13%	0.979	94.31%	0.996	92.71%	0.999	
PS-2551-7Q-LF	86.97%	91.27%	0.963	94.32%	0.993	92.92%	0.999	



Computer servers all single output (AC-DC) power supplies with rated output of Platinum 800W

Power Supply Model #	10% Load		20% Load		50% Load		100% Load	
	Efficiency	Efficiency	Power Factor	Efficiency	Power Factor	Efficiency	Power Factor	
DPS-750AB-30 A	85.50%	92.76%	0.951	94.39%	0.995	92.11%	0.999	

Computer servers all single output (AC-DC) power supplies with rated output of Platinum 1200W

Power Supply Model #	10% Load		20% Load		50% Load		100% Load	
	Efficiency	Efficiency	Power Factor	Efficiency	Power Factor	Efficiency	Power Factor	
PS-2112-5Q2- LF	89.1%	92.3%	0.96	94.2%	0.99	92.3%	0.99	
MC1200B4-3- 4R-02	89.3%	92.72%	0.967	94.69%	0.993	93.54%	0.997	

3.2. Maximum/Idle State Power

State/Mode	Power Demand (Watts)
Maximum	530.2W
Idle State	251.0W

3.3. Noise Emission

Declared Noise Emissions in accordance with ISO 9296 (tested in accordance with ISO 7779)

Declared A-weighted sound power level of the Server	6.8 B(A)
---	----------





About QCT

QCT (Quanta Cloud Technology) is a global datacenter solution provider extending the power of hyperscale datacenter design in standard and open SKUs to all datacenter customers.

Product lines include servers, storage, network switches, integrated rack systems and cloud solutions, all delivering hyperscale efficiency, scalability, reliability, manageability, serviceability and optimized performance for each workload.

QCT offers a full spectrum of datacenter products and services from engineering, integration and optimization to global supply chain support, all under one roof.

The parent of QCT is Quanta Computer Inc., a Fortune Global 500 technology engineering and manufacturing company.

<http://www.QuantaQCT.com>

United States QCT LLC., Silicon Valley office
1010 Rincon Circle, San Jose, CA 95131
TOLL-FREE: 1-855-QCT-MUST
TEL: +1-510-270-6111
FAX: +1-510-270-6161
Support: +1-510-270-6216

QCT LLC., Seattle office
13810 SE Eastgate Way, Suite 190, Building 1,
Bellevue, WA 98005
TEL: +1-425-633-1620
FAX: +1-425-633-1621

China 云达科技, 北京办公室 (Quanta Cloud Technology)
北京市朝阳区东三环中路 1 号 · 环球金融中心东楼 1508 室
Room 1508, East Tower 15F, World Financial Center
No.1, East 3rd Ring Zhong Rd., Chaoyang District, Beijing, China
TEL: +86-10-5920-7600
FAX: +86-10-5981-7958

云达科技, 杭州办公室 (Quanta Cloud Technology)
浙江省杭州市西湖区古墩路浙商财富中心 4 号楼 303 室
Room 303 · Building No.4 · ZheShang Wealth Center
No. 83 GuDun Road, Xihu District, Hangzhou, Zhejiang , China
TEL: +86-571-2819-8660

Japan Quanta Cloud Technology Japan 株式会社
日本国東京都港区芝大門二丁目五番八号
牧田ビル 3 階
Makita Building 3F, 2-5-8, Shibadaimon ,
Minato-ku, Tokyo 105-0012, Japan
TEL: +81-3-5777-0818
FAX: +81-3-5777-0819

Taiwan 雲達科技 (Quanta Cloud Technology)
桃園市龜山區文化二路 211 號 1 樓
1F, No. 211 Wenhua 2nd Rd., Guishan Dist.,
Taoyuan City 33377, Taiwan
TEL: +886-3-286-0707
FAX: +886-3-327-0001

Other regions Quanta Cloud Technology
No. 211 Wenhua 2nd Rd., Guishan Dist.,
Taoyuan City 33377, Taiwan
TEL: +886-3-327-2345
FAX: +886-3-397-4770

All specifications and figures are subject to change without prior notice. Actual products may look different from the photos.

QCT, the QCT logo, Rackgo, Quanta, and the Quanta logo are trademarks or registered trademarks of Quanta Computer Inc.

All trademarks and logos are the properties of their representative holders.

Copyright © 2014-2015 Quanta Computer Inc. All rights reserved.